

Burleigh County Community Health Profile

May 26, 2015



Stephen Pickard, MD
North Dakota Department of Health

TABLE OF CONTENTS

POPULATION DATA

Chart 1: Population by Age Group	1
Chart 2: Pyramid Graph of Number of Residents by Census Year	1
Chart 3: Female Population and Percentage Female by Age	1
Chart 4: Decennial Population Change	1
Chart 5: Race	2
Chart 6: Household Populations	2
Chart 7: Marital Status of Persons Age 15 and Older	2
Chart 8: Educational Attainment Among Persons 25+	2
Chart 9: Persons with Disability	4
Chart 10: Income and Poverty Status by Age Group	4
Chart 11: Family Poverty and Childhood and Elderly Poverty	4
Chart 12: Age of Housing	4

VITAL STATISTICS DATA

Birth and Deaths Definitions	5
Chart 13: Births	6
Chart 14: Child Deaths	6
Chart 15: Deaths and Age Adjusted Death Rate by Cause	6
Chart 16: Leading Causes of Death by Age Group for Rolette County	7
Chart 17: Leading Causes of Death by Age Group for North Dakota	7

ADULT BEHAVIORAL RISK FACTORS

Chart 18 –21:	
• Adult Behavioral Risk Factors Definition	8
• Alcohol	9
• Arthritis	9
• Asthma	9
• Body Weight	9
• Cancer	9
• Cardiovascular	10
• Cholesterol	10
• Chronic Lung Disease	10
• Colorectal Cancer	10
• Diabetes	10
• Fruits and Vegetables	10
• General Health	11
• Health Care Access	11
• Hypertension	11
• Immunization	11
• Injury	11
• Oral Health	12
• Physical Activity	12
• Tobacco	12
• Women’s Health	12

CRIME

Chart 21: Rolette County	13
Chart 22: North Dakota	13

CHILD RISK

Chart 23: Child Indicators—Education	14
Chart 24: Child Indicators—Economic Health	14
Chart 25: Child Indicators—Families and Child Care	14
Chart 26: Child Indicators—Juvenile Justice	14

POPULATION DATA


1

Population by Age Group, 2011-2013 ACS Estimates				
Burleigh County			North Dakota,	
Age Group	Number	Percent	Number	Percent
0-9	11,791	13.7%	91,871	12.7%
10-19	10,064	11.7%	93,318	12.9%
20-29	12,928	15.0%	124,424	17.2%
30-39	12,091	14.1%	91,148	12.6%
40-49	9,834	11.4%	79,573	11.0%
50-59	12,246	14.3%	101,998	14.1%
60-69	8,287	9.6%	69,446	9.6%
70-79	5,076	5.9%	41,233	5.7%
80+	3,590	4.2%	31,829	4.4%
Total	85,907	100.0%	724,840	100.0%
0-17	19,368	22.5%	161,317	22.3%
65+	11,828	13.8%	102,722	14.2%

The Demographic Section of this report comes from the US Census Bureau (www.census.gov). Most tables are derived either from the Census estimates for 2013 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The table showing percent population change uses census data from 2000 also. Tables present number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group which is in poverty (e.g., percentage of children under five years in poverty).

2

Number of Residents by Age Group



3

Female Population and Percentage Female by Age, 2011-2013 ACS Estimates

Burleigh County 2011-2013			North Dakota, 2013	
Age Group	Number	Percent	Number	Percent
0-9	6,069	51.5%	45,342	49.4%
10-19	4,759	47.3%	44,988	48.2%
20-29	6,462	50.0%	55,615	44.7%
30-39	5,807	48.0%	41,092	45.1%
40-49	4,803	48.8%	39,675	49.9%
50-59	6,506	53.1%	50,656	49.7%
60-69	4,104	49.5%	34,361	49.5%
70-79	2,882	56.8%	21,254	51.5%
80+	2,271	63.2%	20,546	64.5%
Total	43,664	50.8%	353,530	48.8%
0-17	9,606	22.0%	78,484	48.7%
65+	6,768	15.5%	50,201	48.9%

4

Decennial Population Change, 1990 to 2000, 2000 to 2010

Census	Burleigh County	10 Year Change	North Dakota	10 Year Change
1990	60,131	(%)	638,800	(%)
2000	69,416	15.4%	642,200	0.5%
2010	81,308	17.1%	672,591	4.7%

POPULATION DATA

5

Race, 2011-2013 ACS Three Year Estimates				
Burleigh County 2011-2013			North Dakota 2013	
Race	Number	Percentage	Number	Percentage
Total	85,907	100.0%	723,393	100.0%
White	79,596	92.7%	643,478	89.0%
Black	631	0.7%	10,827	1.5%
Am. Indian	3,558	4.1%	40,214	5.6%
Asian	480	0.6%	9,096	1.3%
Pac. Islander	16	0.0%	371	0.1%
Other	196	0.2%	4,620	0.6%
Multirace	1,430	1.7%	29,574	4.1%

6

Household Populations, 2011-2013 ACS Three Year Estimates				
Burleigh County			North Dakota	
	Number	Percent	Number	Percent
Total	85,907	100.0%	703,203	100.0%
In Family Households	65,847	76.6%	530,615	75.5%
In Non-Family Households	17,043	19.8%	146,330	20.8%
Total In Households	82,890	96.5%	676,945	96.3%
Institutionalized*	1519	1.8%	9,675	1.4%
Non-institutionalized*	1,498	1.7%	16,583	2.4%
Total in Group Quarters	3,017	3.5%	26,258	3.7%

7

Marital Status of Persons Age 15 and Older, 2011-2013 ACS Three Year Estimate				
Burleigh County			North Dakota	
Marital Status	Number	Percent	Number	Percent
Total Age 15+	69,501	100.0%	561,346	100.0%
Never Married	21,337	30.7%	177,385	31.6%
Now Married	36,627	52.7%	291,900	52.0%
Separated	487	0.7%	5,052	0.9%
Widowed	4,101	5.9%	33,681	6.0%
Divorced	6,950	10.0%	53,328	9.5%

8

Educational Attainment Among Persons 25+, 2011-2013 ACS Three Year Estimate				
Burleigh County			North Dakota	
Education	Number	Percent	Number	Percent
Total	57,577	100.0%	457,771	100.0%
Less than 9th Grade	2,015	3.5%	19,226	4.2%
Some High School	1,612	2.8%	21,057	4.6%
High school or GRE	14,222	24.7%	125,429	27.4%
Some College / Asso. Degree	20,728	36.0%	168,002	36.7%
Bachelor's degree	12,552	21.8%	89,723	19.6%
Post Graduate Degree	6,391	11.1%	34,791	7.6%


POPULATION DATA

5A

Population Distribution				
County	Total Population	Number American Indians*	Percent of County	Percent of All AI in State
Rolette	13937	10763	77.2%	29.4%
Benson	6660	3663	55.0%	10.0%
Sioux	4153	3492	84.1%	9.5%
Burleigh	81308	3393	4.2%	9.3%
Mountrail	7673	2348	30.6%	6.4%
Cass	149778	1827	1.2%	5.0%
Grand Forks	66861	1657	2.5%	4.5%
Ward	61675	1630	2.6%	4.5%
McKenzie	6360	1412	22.2%	3.9%
Morton	27471	1000	3.6%	2.7%
Ramsey	11451	994	8.7%	2.7%
Williams	22398	899	4.0%	2.5%
McLean	8962	625	7.0%	1.7%
Dunn	3536	449	12.7%	1.2%
Richland	16321	330	2.0%	0.9%
Stutsman	21100	300	1.4%	0.8%
Stark	24199	240	1.0%	0.7%
Cumulative for listed counties		35022		95.7%
Percentage of total in reservation counties				63.1%
=reservation county				
*American Indian=Single Race Only				

5B

Percentage Change in American Indian Population, 2000-2010



POPULATION DATA

9

Persons with Disability, 2011-2013 ACS Three Year Estimates					
Group	Burleigh County		North Dakota		
	Number	Percent	Number	Percent	
Total	84,113	100.0%	688,158	100.0%	
Any Disability	9,042	10.7%	72,762	10.6%	
No Disability	75,071	89.3%	615,396	89.4%	
Self Care Disability	1,465	1.7%	11,274	1.6%	
0-17 with any disability	569	2.9%	4,677	2.9%	
18-64 with any disability	4,452	8.3%	35,931	7.8%	
65+ with any disability	4,021	35.6%	32,154	31.3%	

10

Income and Poverty Status by Age Group, 2011-2013 ACS Three Year Est				
	Burleigh County		North Dakota	
	Number	Percent	Number	Percent
Median Household Income	\$63,411		\$54,920	
Per Capita Income	\$33,466		\$30,436	
	Number	Percent	Number	Percent
Below Poverty Level	6,188	7.5%	80,644	11.9%
Under 5 years	731	13.2%	7,714	16.9%
5 to 11 years	887	11.4%	7,944	13.2%
12 to 17 years	411	7.2%	5,776	11.8%
18 to 64 years	3,563	6.8%	49,568	11.6%
65 to 74 years	197	3.3%	3,448	7.0%
75 years and over	399	7.6%	6,194	13.7%

11

Family Poverty and Childhood and Elderly Poverty, 2011-2013 ACS Three Year Estimates					
	Burleigh County		North Dakota		
	Number	Percent*	Number	Percent*	
Total Families	21,978	100.0%	176,378	100.0%	
Families in Poverty	989	4.5%	13,052	7.4%	
Families with Own Children	10250	46.6%	80,964	45.9%	
Families with Own Children in Poverty	780	3.5%	10,121	5.7%	
Families with Own Children and Female Parent Only	2502	11.4%	16,716	9.5%	
Families with Own Children and Female Parent Only in Poverty	620	2.8%	6,452	3.7%	
Total Known Children in Poverty	2,029	10.5%	21,434	13.3%	
Total Known Age 65+ in Poverty	596	5.0%	9,642	9.4%	
* Percent family poverty is percent of total families					

12

Age of Housing, 2011-2013 ACS Three Year Estimates				
	Burleigh County		North Dakota	
	Number	Percent	Number	Percent
Housing units: Total	37,313	100.0%	329,970	100.0%
1980 and Later	18,471	49.5%	128,111	38.8%
1970 to 1979	8,193	22.0%	66,396	20.1%
Prior to 1970	10,649	28.5%	135,463	41.1%

Vital Statistics Data

BIRTHS AND DEATHS DEFINITIONS

Vital Statistics Data comes from the birth and death records collected by the State of North Dakota aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. The number of events is blocked if fewer than five. Formulas for calculating rates and ratios are as follows:

Birth Rate = Resident live births divided by the total resident population x 1000.

Pregnancies = Live births + Fetal deaths + Induced termination of pregnancy.

Pregnancy Rate = Total pregnancies divided by the total resident population x 1000.

Fertility Rate = Resident live births divided by female population (age 15-44) x 1000.

Teenage Birth Rate = Teenage births (age <20) divided by female teen population x 1000.

Teenage Pregnancy Rate =
Teenage pregnancies (age <20) divided by female teen population x 1000.

Out of Wedlock Live Birth Ratio =
Resident OOW live births divided by total resident live births x 1000.

Out of Wedlock Pregnancy Ratio =
Resident OOW pregnancies divided by total pregnancies x 1000.

Low Weight Ratio =
Low weight births (birth weight < 2500 grams) divided by total resident live births x 1000.

Infant Death Ratio = Number of infant deaths divided by the total resident live births x 1000.

Childhood & Adolescent Deaths = Deaths to individuals 1 - 19 years of age.

Childhood and Adolescent Death Rate =
Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) x 100,000.

Crude Death Rate = Death events divided by population x 100,000.

Age-Adjusted Death Rate = Death events with age specific adjustments x 100,000 population.

Vital Statistics Data

BIRTHS AND DEATHS

Births, 2009-2013				
	Burleigh County		North Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio
Live Births and Rate	5,724	13	47,959	14
Pregnancies and Rate	6,262	15	52,505	15
Fertility Rate		66		72
Teen Births and Rate	320	16	2,118	12
Teen Pregnancies and Rate	396	20	3,725	21
Out of Wedlock Births and Ratio	1,787	312	15,686	327
Out of Wedlock Pregnancies and Ratio	2,237	357	19,436	370
Low Birth Weight Birth and Ratio	373	65	3,078	64

Child Deaths, 2009-2013				
	Burleigh County		North Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio
Infant Deaths and Ratio	29	5	286	6
Child and Adolescent Deaths and Rate	26	25	270	32
Total Deaths and Crude Rate	3,149	733	29,616	866

Deaths and Age Adjusted Death Rate by Cause, 2009-2013		
	Burleigh County	North Dakota
	Number (Adj. Rate)	Number (Adj. Rate)
All Causes	3148 (673)	29,581 (702)
Heart Disease	581 (122)	6,762 (154)
Cancer	683 (148)	6,315 (156)
Stroke	178 (37)	1,664 (37)
Alzheimers Disease	420 (84)	2,189 (45)
COPD	143 (31)	1,707 (41)
Unintentional Injury	148 (33)	1,625 (44)
Diabetes Mellitus	91 (20)	1,022 (24)
Pneumonia and Influenza	50 (10)	682 (15)
Cirrhosis	30 (7)	394 (11)
Suicide	65 (17)	551 (16)

Vital Statistics Data

BIRTHS AND DEATHS

16


Leading Causes of Death by Age Group for Burleigh County, 2009-2013			
Age	1	2	3
0-4	Anomaly 10	SIDS Preg Comp	Unintentional Injury Prematurity
5-14	Suicide Unintentional Injury	Anomaly	Cancer
15-24	Unintentional Injury 15	Suicide 14	Cancer Heart
25-34	Unintentional Injury 17	Suicide 15	Heart 7
35-44	Suicide 15	Cancer 14	Unintentional Injury 12
45-54	Cancer 40	Heart 19	Unintentional Injury 15
55-64	Cancer 122	Heart 54	DM 14
65-74	Cancer 145	Heart 64	COPD 21
75-84	Cancer 213	Heart 160	Alzheimer's Dz 98
85+	Alzheimer's Dz 302	Heart 261	Cancer 145

17

Leading Causes of Death by Age Group for North Dakota, 2006-2010			
Age	1	2	3
0-4	Congenital Anomaly 69	Prematurity 44	SIDS 40
5-14	Unintentional Injury 26	Cancer 10	Congenital Anomaly 6
15-24	Unintentional Injury 184	Suicide 109	Cancer 20
25-34	Unintentional Injury 166	Suicide 91	Heart 32
35-44	Unintentional Injury 173	Heart 94	Cancer 88
45-54	Cancer 493	Heart 335	Unintentional Injury 194
55-64	Cancer 1001	Heart 579	Unintentional Injury 137
65-74	Cancer 1562	Heart 843	COPD 313
75-84	Cancer 1992	Heart 1797	COPD 626
85+	Heart 3421	Alzheimer's Dz 1391	Cancer 1352

ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. The Adult Behavioral Risk Factor data are derived from aggregated data (the number of years specified is in the table) continuously collected by telephone survey from persons 18 years and older. All data is self-reported data. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence intervals may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalences in the two populations.



ADULT BEHAVIORAL RISK FACTORS, 2011-2013

18

	ALCOHOL	Burleigh County 2011-2013	North Dakota 2011-2013
Binge Drinking	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.	24.0 (21.2-26.7)	24.2 (23.2-25.1)
Heavy Drinking	Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days	6.7 (4.8- 8.7)	6.8 (6.2- 7.4)
Drunk Driving	Respondents who reported driving when they had too much to drink one or more times during the past 30 days	NA	1.9 (1.5- 2.4)
	ARTHRITIS		
Doctor Diagnosed Arthritis	Respondents who reported ever have been told by a doctor or other health professional that they had some form of arthritis.	25.2 (22.9-27.5)	25.1 (24.3-25.9)
Activity Limitation Due to Arthritis	Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.	8.0 (6.6- 9.4)	8.3 (7.8- 8.8)
	ASTHMA		
Ever Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.	11.2 (9.3-13.2)	11.5 (10.7-12.2)
Current Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.	7.7 (6.1- 9.3)	8.1 (7.5- 8.7)
	BODY WEIGHT		
Overweight But Not Obese	Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight)	36.1 (33.3-38.9)	36.7 (35.7-37.7)
Obese	Respondents with a body mass index greater than or equal to 30 (obese)	28.9 (26.2-31.7)	29.4 (28.5-30.4)
Overweight or Obese	Respondents with a body mass index greater than or equal to 25 (overweight or obese)	65.0 (62.1-67.9)	66.1 (65.1-67.2)
	CANCER		
Ever Cancer	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).	6.8 (5.7- 8.0)	6.4 (6.0- 6.8)

ADULT BEHAVIORAL RISK FACTORS, 2011-2013

19

	CARDIOVASCULAR	Burleigh County	North Dakota
Heart Attack	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.	4.8 (3.7- 5.9)	4.3 (3.9- 4.6)
Angina	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.	4.9 (3.8- 6.0)	4.1 (3.7- 4.4)
Stroke	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	2.7 (1.9- 3.5)	2.3 (2.0- 2.5)
Cardiovascular Disease	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.	8.5 (7.1-10.0)	7.6 (7.1- 8.0)
CHOLESTEROL			
Never Cholesterol Test	Respondents who reported never having a cholesterol test	19.1 (16.1-22.2)	22.3 (21.1-23.4)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years	23.9 (20.7-27.1)	26.7 (25.5-27.9)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	39.7 (36.3-43.2)	36.6 (35.4-37.8)
CHRONIC LUNG DISEASE			
COPD	Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis?	4.2 (3.1- 5.2)	4.6 (4.2- 5.0)
COLORECTAL CANCER			
Fecal Occult Blood	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	91.0 (87.4-94.5)	86.2 (84.8-87.6)
Never Sigmoidoscopy	Respondents age 50 and older who reported never having had a sigmoidoscopy or colonoscopy	35.8 (29.2-42.3)	38.0 (35.9-40.2)
DIABETES			
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	8.0 (6.6- 9.4)	8.5 (8.0- 9.0)
FRUITS AND VEGETABLES			
Five Fruits and Vegetables	Respondents who reported that they do not usually eat 5 fruits and vegetables per day	86.6 (84.3-88.8)	85.9 (85.0-86.7)

ADULT BEHAVIORAL RISK FACTORS, 2011-2013

20

	GENERAL HEALTH	Burleigh County	North Dakota
Fair or Poor Health	Respondents who reported that their general health was fair or poor	13.6 (11.5-15.6)	14.0 (13.3-14.7)
Poor physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good	11.7 (9.8-13.6)	11.6 (11.0-12.3)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good	9.4 (7.6-11.1)	10.8 (10.2-11.5)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	7.3 (5.8- 8.9)	7.1 (6.6- 7.6)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	19.3 (17.0-21.5)	17.9 (17.2-18.7)
	HEALTH CARE ACCESS		
Health Insurance	Respondents who reported not having any form or health care coverage	10.3 (8.1-12.4)	12.4 (11.6-13.1)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	9.0 (7.0-11.1)	8.1 (7.4- 8.7)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	19.7 (17.2-22.3)	26.0 (25.0-26.9)
	HYPERTENSION		
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	28.7 (25.9-31.5)	29.5 (28.6-30.6)
	IMMUNIZATION		
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year	42.6 (37.5-47.7)	40.3 (38.6-42.0)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	32.9 (27.9-37.8)	29.4 (27.8-31.0)
	INJURY		
Fall	Respondents 45 years and older who reported that they had fallen in the past 12 months	25.1 (19.7-30.6)	27.8 (25.9-29.6)
Seat Belt	Respondents who reported not always wearing their seatbelt	30.0 (27.1-32.8)	32.6 (31.6-33.6)

ADULT BEHAVIORAL RISK FACTORS, 2011-2013

21

	ORAL HEALTH	Burleigh County	North Dakota
Dental Visit	Respondents who reported that they have not had a dental visit in the past year	26.0 (20.7-31.3)	32.8 (31.0-34.7)
Tooth Loss	Respondents who reported they ever had a permanent tooth extracted.	35.9 (30.6-41.3)	43.2 (41.4-45.0)
	PHYSICAL ACTIVITY		
Recommend Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity	51.7 (48.2-55.2)	53.8 (52.6-55.1)
Inactive	Respondents reporting little or no physical activity	25.7 (22.6-28.8)	30.4 (29.3-31.6)
	TOBACCO		
Current Smoking	Respondents who reported that they smoked every day or some days	17.7 (15.3-20.1)	21.6 (20.6-22.5)
	WOMEN'S HEALTH		
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years	23.7 (14.7-32.7)	23.7 (20.9-26.5)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years	29.4 (21.8-37.1)	26.4 (24.0-28.9)

CRIME

Burleigh County

	2009	2010	2011	2012	2013	5 year	5-Year Rate
Murder	3	1	3	1	2	10	2.4
Rape	19	31	33	37	30	150	36.3
Robbery	12	17	15	17	15	76	18.4
Assault	137	177	145	188	181	828	200.3
Violent crime	171	226	196	243	228	1,064	257.4
Burglary	252	219	322	372	392	1,557	376.6
Larceny	1,422	1,376	1,657	1,645	1,413	7,513	1817.4
Motor vehicle theft	121	99	127	119	122	588	142.2
Property crime	1,795	1,694	2,106	2,136	1,927	9,658	2336.3
Total	1,966	1,920	2,302	2,379	2,155	10,722	2593.6

North Dakota

	2009	2010	2011	2012	2013	5 year	5-Year Rate
Murder	15	11	15	20	14	75	2.2
Rape	206	222	207	243	237	1,115	32.6
Robbery	102	85	91	117	151	546	16.0
Aggrav. Assault	795	847	1,040	1,071	1,156	4,909	143.6
Violent crime	1,118	1,165	1,353	1,451	1,558	6,645	194.3
Burglary	2,180	1,826	2,227	2,200	2,656	11,089	324.3
Larceny	8,699	8,673	9,344	10,184	10,243	47,143	1378.6
Motor vehicle theft	854	825	763	854	1,228	4,524	132.3
Property crime	11,733	11,324	12,334	13,238	14,127	62,756	1835.2
Total	12,851	12,489	13,687	14,689	15,685	69,401	2029.5

CHILD HEALTH INDICATORS

23

Child Indicators: Education 2013	Burleigh County		North Dakota	
	Number	Percent	Number	Percent
Enrolled in Special Education Ages 3-21 (Number and percent of total school enrollment)	1,363	11%	13,399	13.0%
High School Dropouts (Dropouts per 100 persons Grades 9-12)*	121	3.0%	888	2.8%
Average Expenditure per Student in Public School	\$9,375		\$10,964	

24

Child Indicators: Economic Health 2013	Burleigh County		North Dakota	
	Number	Percent	Number	Percent
TANF Recipients Ages 0-19 (Percentage of persons ages 0-19)	455	2.0%	5,358	2.9%
Food Stamp (SNAP) Recipients Ages 0-18 (Percentage of all children ages 0-19)	3,472	16%	37,826	23%
Children Receiving Free or Reduced Price Lunch (Percentage of total school enrollment)	2,769	20%	34,381	31%
Medicaid Recipients Ages 0-20 (Percentage of all persons ages 0-20)*	5,272	22%	53,814	27%
Children Ages 0-17 Living in Extreme Poverty (Percentage of children 0-17 for whom poverty is determined)	1,091	5.8%	10,114	6.2%
Median Income for Families with Children Ages 0-17 (Percentage of all women with children ages 0-17)	\$81,125		\$70,530	

25

Child Indicators: Families and Child Care 2013	Burleigh County		North Dakota	
	Number	Percent	Number	Percent
Mothers in Labor Force with a Child Ages 0-17 (Percentage of all mothers with a child ages 0-17)	8,236	87%	57,908	81%
Children Ages 0-17 Living in a Single Parent Family (Percentage of all children ages 0-17)	4,113	22%	34,591	23%
Children in Foster Care (Percentage of children ages 0-18)*	262	1.3%	2,019	1.2%
Children Ages 0-17 with Suspected Child Abuse or Neglect (Percentage of children 0-17)	841	4.4%	6,170	4.0%
Children Ages 0-17 Impact by Domestic Violence (Percentage of all children ages 0-17)**	897	5.1%	4,739	2.9%
Births to Mothers with Inadequate Prenatal Care (Percentage of Total Births)	39	3.2%	508	4.8%

**2010

26

Child Indicators: Juvenile Justice 2013	Burleigh County		North Dakota	
	Number	Percent	Number	Percent
Children Ages 10-17 Referred to Juvenile Court (Percentage of all children ages 0-17)	635	7.8%	3,789	5.8%
Offense Against Person Juvenile Court Referral (Percentage of total juvenile court referral)	85	7%	689	9.8%
Alcohol-Related Juvenile Court Referral (Percentage of all juvenile court referrals)*	160	12.0%	909	13%